


In the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

1. (Previously presented) A compound of formula (I)



wherein:

R^1 and R^2 independently represent a monocyclic or polycyclic heteroaryl group optionally substituted by one or more substituents selected from the group consisting of halogen atoms, straight or branched, optionally substituted lower alkyl, cycloalkyl, hydroxy, straight or branched, optionally substituted lower alkoxy, $-\text{SH}$, straight or branched optionally substituted lower alkylthio, cyano, $-\text{NR}'\text{R}''$, $-\text{CO}_2\text{R}'$, wherein R' and R'' each independently represents a hydrogen atom or a straight or branched, optionally substituted lower alkyl group or R' and R'' together with the nitrogen atom to which they are attached form a cyclic group;


R^3 represents a group selected from $-\text{COR}^4$, $-\text{CON}(\text{R}^4)\text{R}^5$, $-\text{COOR}^4$ and $-\text{R}^6$;

each of R^4 and R^6 independently represents a group selected from:

(a) hydrogen;

(b) a straight or branched lower alkyl group which is optionally substituted by one or more halogen atoms or by one or more cycloalkyl, hydroxy, lower alkoxy, lower alkylthio, amino, mono- or dialkylamino, alkoxyalkyl, hydroxycarbonyl, alkoxycarbonyl and nitrile groups; and

(c) a group of formula:



wherein:

m, o and p are independently 0 or 1;

n and q are independently selected from integers from 0 to 6;

R^a and R^b are independently a hydrogen atom or a lower alkyl group;

G is a group selected from cycloalkyl, aryl or heteroaryl groups which are optionally substituted by one or more halogen atoms or by one or more lower alkyl, cycloalkyl, lower haloalkyl, hydroxy, lower alkoxy, lower alkylthio, amino, mono- or dialkylamino, hydroxyalkyl, alkoxyalkyl, hydroxycarbonyl, alkoxy carbonyl and nitrite groups;

R^5 represents hydrogen or a lower alkyl, cycloalkyl or benzyl group; or

R^4 and R^5 together with the nitrogen atom to which they are attached form a saturated or unsaturated ring which is optionally substituted by one or more lower alkyl, cycloalkyl or benzyl groups;

or pharmaceutically acceptable salts thereof;

with the proviso that the compound is not one of 2,6-dipyridin-4-ylpyrimidin-4-amine, 4-(3-methoxyanilino)-2,6-di(2-pyridinyl)pyrimidine, 4-(2,5-dimethoxyanilino)-2,6-di(2-pyridinyl)pyrimidine, 4-(5-methoxy-2-methylanilino)-2,6-di(2-pyridinyl)pyrimidine, 4-(2-methoxy-5-methylanilino)-2,6-di(2-pyridinyl)pyrimidine, 4-(2-chloro-5-methoxyanilino)-2,6-di(2-pyridinyl)pyrimidine, and 4-(2,5-dimethylanilino)-2,6-di(2-pyridinyl)pyrimidine.

2. (Previously presented) A compound according to claim 1 with the proviso that when p, m and o are simultaneously zero then G is not an optionally substituted aryl group.
3. (Previously presented) A compound according to claim 1 wherein R¹ represents a monocyclic heteroaryl group selected from the group consisting of furyl, thienyl, thiazolyl, oxazolyl, pyrazinyl, pyrazolyl, pyridazinyl, imidazolyl, triazolyl, pyrimidinyl and pyridyl groups which groups are optionally substituted by one or more substituents selected from the group consisting of halogen atoms, straight or branched, optionally substituted lower alkoxy and straight or branched, optionally substituted lower alkyl.
4. (Original) A compound according to claim 3 wherein R¹ represents a monocyclic heteroaryl group selected from the group consisting of furyl, thienyl, pyrazolyl, triazolyl, thiazolyl and pyridyl groups which groups are optionally substituted by one or more substituents selected from the group consisting of halogen atoms, straight or branched, optionally substituted lower alkoxy and straight or branched, optionally substituted lower alkyl.
5. (Original) A compound according to claim 4 wherein R¹ represents a monocyclic heteroaryl group selected from the group consisting of furyl, thienyl and pyrazolyl groups which groups are optionally substituted by one or more substituents selected from the group consisting of halogen atoms and straight or branched, optionally substituted lower alkyl.
6. (Original) A compound according to claim 5 wherein R¹ represents an unsubstituted furyl group.
7. (Previously presented) A compound according to claim 4 wherein R² represents a monocyclic heteroaryl group selected from the group consisting of pyrazolyl, furyl, thiazolyl, oxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, thienyl, imidazolyl and triazolyl groups which groups are optionally substituted by one or more substituents selected from the group consisting of halogen atoms, straight or branched, optionally substituted lower alkoxy and straight or branched, optionally substituted lower alkyl.
8. (Original) A compound according to claim 7 wherein R² represents a monocyclic heteroaryl group selected from the group consisting of pyrazolyl, furyl, thiazolyl, pyridyl, thienyl

and triazolyl groups which groups are optionally substituted by one or more substituents selected from the group consisting of halogen atoms, straight or branched, optionally substituted lower alkoxy and straight or branched, optionally substituted lower alkyl.

9.-13. (Canceled)

14. (Previously presented) A compound according to claim 1 wherein the compound is:

2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-methylpropanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2,2-dimethyl-propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]cyclopropane-carboxamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]cyclobutane-carboxamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]cyclohexane-carboxamide;

3-Cyclopentyl-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-(4-methoxyphenyl) acetamide;

2-(3,4-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-3-phenyl-propanamide;

(2*S*)-N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-phenyl-cyclopropanecarboxamide;

3,3,3-Trifluoro-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

3-(3,4-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-methyl-3-phenyl-propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-3-phenoxy-propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-3-pyridin-3-ylpropanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-pyridin-3-yl-acetamide;

(2*E*)-3-(3,4-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acrylamide;

6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-amine;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]acetamide;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-(2-furyl)pyrimidin-4-yl]propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-2-methyl-propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-2,2-dimethylpropanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-cyclopropanecarboxamide;

3-Cyclopentyl-N-[6-(3,5-dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-2-(4-methoxyphenyl)acetamide;

2-(3,4-Dimethoxyphenyl)-N-[6-(3,5-dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]acetamide;

N-[6-(3,5-Dimethyl-1*H* pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-3-phenylpropanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-3,3,3-trifluoropropanamide;

3-(3,4-Dimethoxyphenyl)-N-[6-(3,5-dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-

yl]propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-3-phenoxypropanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-2-pyridin-3-ylacetamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]-3-pyridin-3-ylpropanamide;

2-(2-Furyl)-6-(4-methyl-1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(2-Furyl)-6-(4-methyl-1*H*-pyrazol-1-yl)pyrimidin-4-yl]-propanamide;

2-(2-Furyl)-6-(3-methyl-1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(2-Furyl)-6-(3-methyl-1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

2-(2-Furyl)-6-[3-(trifluoromethyl)-1*H*-pyrazol-1-yl]pyrimidin-4-amine;

N-[2-(2-Furyl)-6-[3-(trifluoromethyl)-1*H*-pyrazol-1-yl]pyrimidin-4-yl]-propanamide;

2-(2-Furyl)-6[5-methyl-3-(trifluoromethyl)-1*H*-pyrazol-1-yl]pyrimidin-4-amine;

N-[2-(2-furyl)-6-[5-methyl-3-(trifluoromethyl)-1*H*-pyrazol-1-yl]-pyrimidin-4-yl]propanamide;

2-(2-Furyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-amine;

N-[2-(2-furyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]acetamide;

N-[2-(2-Furyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]propanamide;

3,3,3-Trifluoro-N-[2-(2-furyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]-propanamide;

2-(5-Bromo-2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(5-bromo-2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

2-(5-Chloro-2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(5-Chloro-2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

2-(5-Methyl-2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(5-methyl-2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

N-[2-(2-Furyl)-6-pyridin-3-yl]pyrimidin-4-yl]propanamide;

2-(2-Furyl)-6-pyridin-3-yl]pyrimidin-4-amine;

6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-amine;

N-[6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]acetamide;

N-[6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]propanamide;

3-Cyclopentyl-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]propanamide;

3-Phenyl-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]propanamide;

3,3,3-Trifluoro-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]-propanamide;

3-(3,4-Dimethoxyphenyl)-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]propanamide;

3-Phenoxy-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]-propanamide;

N-[6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]-2-pyridin-3-yl-acetamide;

N-[6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]-3-pyridin-3-ylpropanamide;

(2*E*)-3-(3,4-Dimethoxyphenyl)-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)-pyrimidin-4-yl]acrylamide;

6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-amine;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]acetamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]-3,3,3-trifluoropropanamide;

2-(2-Thienyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-amine;

N-[2-(2-Thienyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]acetamide;

N-[2-(2-Thienyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]propanamide;

3,3,3-Trifluoro-N-[2-(2-thienyl)-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]propanamide;

N-[2-(3-Methyl-2-thienyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

6-(2-Furyl)-2-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[6-(2-Furyl)-2-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

N-[6-(2-Furyl)-2-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

3,3,3-Trifluoro-N-[6-(2-furyl)-2-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-(2-furyl)pyrimidin-4-amine;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-(2-furyl)pyrimidin-4-yl]-propanamide;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-(2-furyl)pyrimidin-4-yl]-2-(4-methoxyphenyl)acetamide;

6-(2-Furyl)-2-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-amine;

N-[6-(2-Furyl)-2-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]propanamide;

2-(1*H*-Pyrazol-1-yl)-6-pyridin-2-ylpyrimidin-4-amine;

N-[2-(1*H*-Pyrazol-1-yl)-6-pyridin-2-ylpyrimidin-4-yl]propanamide;

2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-pyridin-2-ylpyrimidin-4-amine;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-pyridin-2-ylpyrimidin-4-yl]propanamide;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-pyridin-2-ylpyrimidin-4-yl]-2-(4-methoxyphenyl)acetamide;

2-(1*H*-Pyrazol-1-yl)-6-pyridin-3-ylpyrimidin-4-amine;

N-[2-(1*H*-Pyrazol-1-yl)-6-pyridin-3-ylpyrimidin-4-yl]propanamide;

2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-pyridin-3-ylpyrimidin-4-amine;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-pyridin-3-ylpyrimidin-4-yl]-propanamide;

N-[2-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-6-pyridin-3-ylpyrimidin-4-yl]-2-(4-methoxyphenyl)acetamide;

2-(1*H*-Pyrazol-1-yl)-6-pyridin-4-ylpyrimidin-4-amine;

N-[2-(1*H*-Pyrazol-1-yl)-6-pyridin-4-ylpyrimidin-4-amine;

6-(2-Furyl)-2-pyridin-2-ylpyrimidin-4-amine;

N-[6-(2-Furyl)-2-pyridin-2-ylpyrimidin-4-yl]propanamide;

2-(3-Methylpyridin-2-yl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

N-[2-(3-methylpyridin-2-yl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

6-(1*H*-Pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-amine;

N-[6-(1*H*-Pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-yl]acetamide;

N-[6-(1*H*-Pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-yl]propanamide;

6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-amine;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-yl]-acetamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-yl]-propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-pyridin-3-ylpyrimidin-4-yl]-3,3,3-trifluoropropanamide;

2-Pyridin-3-yl-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-amine;

3,3,3-Trifluoro-N-[2-pyridin-3-yl-6-(1*H*-1,2,4-triazol-1-yl)pyrimidin-4-yl]propanamide;

6-(2-Furyl)-2-pyridin-3-ylpyrimidin-4-ylamine;

N-[6-(2-Furyl)-2-pyridin-3-ylpyrimidin-4-yl]propanamide;

N-[6-(3,5-Dimethyl-1*H*-pyrazol-1-yl)-2-pyridin-4-ylpyrimidin-4-yl]propanamide;

6-(3,5-dimethyl-1*H*-pyrazol-1-yl)-2-pyridin-4-ylpyrimidin-4-amine;

6-(2-Furyl)-2-pyridin-4-ylpyrimidin-4-ylamine;

N-[6-(2-Furyl)-2-pyridin-4-ylpyrimidin-4-yl]propanamide;

6-(2-Furyl)-2-(1,3-thiazol-2-yl)pyrimidin-4-amine;

N-[6-(2-Furyl)-2-(1,3-thiazol-2-yl)pyrimidin-4-yl]propanamide;

2-(4-Fluorophenyl)-N-[6-(2-furyl)-2-(1,3-thiazol-2-yl)pyrimidin-4-yl]acetamide;

N-(Cyclopropylmethyl)-2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;

(2*R*)-2-{[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]amino}propan-1-ol;

3-{[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]amino}propan-1-ol;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]ethane-1,2-diamine;

2-(2-Furyl)-N-[2-(4-methoxyphenyl)ethyl]-6-(1*H*-pyrazol-1-yl)-pyrimidin-4-amine;

N-[2-(3,4-Dimethoxyphenyl)ethyl]-2-(2-furyl)-6-(1*H*-pyrazol-1-yl)-pyrimidin-4-amine;

2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)-N-[2-(pyridin-2-yl)ethyl]pyrimidin-4-amine;
2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)-N-[2-(pyridin-3-yl)ethyl]pyrimidin-4-amine;
2-(2-Furyl)-N-(3-phenylpropyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-amine;
2-(2-Furyl)-N-(3-(1*H*-imidazol-1-yl)propyl)-6-(1*H*-pyrazol-1-yl)-pyrimidin-4-amine;
N-(Cyclopropylmethyl)-6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-amine;
(2*R*)-2-([6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]amino)-propan-1-ol;
3-{[6-(1*H*-Pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]amino}propan-1-ol;
N-(2-Aminoethyl)-N-[6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]amine;
N-[2-(4-Methoxyphenyl)ethyl]-6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)-pyrimidin-4-amine;
N-[2-(3,4-Dimethoxyphenyl)ethyl]-6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)-pyrimidin-4-amine;
6-(1*H*-Pyrazol-1-yl)-N-(2-pyridin-3-ylethyl)-2-(2-thienyl)pyrimidin-4-amine;
6-(1*H*-Pyrazol-1-yl)-N-(2-pyridin-2-ylethyl)-2-(2-thienyl)pyrimidin-4-amine;
N-(3-Phenylpropyl)-6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-amine;
N-[3-(1*H*-imidazol-1-yl)propyl]-6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)-pyrimidin-4-amine;
Ethyl 6-(1*H*-pyrazol-1-yl)-2-(2-thienyl)pyrimidin-4-yl]carbamate;
N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-N-[(1*S**,2*R**)-2-phenylcyclopropyl]urea(*relative trans configuration);
N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-N-propylurea;
N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-N-isopropylurea;
N-Cyclopentyl-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]urea;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-*N*-(4-methoxy-phenyl)urea;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-*N*-(2-phenylethyl)-urea;

N-Benzyl-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]urea;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-3-methylbutanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-3,3-dimethyl-butanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]cyclopentane-carboxamide;

2-Chloro-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-phenyl-acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-phenylacetamide;

2-(4-Fluorophenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-(3-methoxy-phenyl)acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-(2-methoxy-phenyl)acetamide;

2-(3,4-Dichlorophenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

2-(1,3-Dibenzodioxol-5-yl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

2-(3,4-Dihydroxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

2-(2,5-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

2-(4-Chloro-3-methylphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)-pyrimidin-4-yl]acetamide;

2-(3,5-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

2-[3-(Benzyloxy)-4-methoxyphenyl]-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

2-[4-(Cyclobutyloxy)-3-methoxyphenyl]-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-(4-difluoromethoxy-3-methoxyphenyl)acetamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-(3,4,5-trimethoxy-phenyl)acetamide;

2-(3,4-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]propanamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]benzamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-3,4-dimethoxy-benzamide;

2,6-Difluoro-N-[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-benzamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-2-furamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]thiophene-2-carboxamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]nicotinamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]isonicotinamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-1-naphthamide;

N-[2-(2-Furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]quinoline-2-carboxamide;

(2*E*)-3-(3,4-Dimethoxyphenyl)-N-[6-(3,5-dimethyl-1*H*-pyrazol-1-yl)-2-(2-furyl)pyrimidin-4-yl]acrylamide;

2-(2-Furyl)-6-(2*H*-1,2,3-triazol-2-yl)pyrimidin-4-amine;

2-(2-furyl)-6-(1*H*-1,2,3-triazol-1-yl)pyrimidin-4-amine;

N-[2-(2-Furyl)-6-(2*H*-1,2,3-triazol-2-yl)pyrimidin-4-yl]propanamide;

2-(3,4-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(2*H*-1,2,3-triazol-2-yl)-pyrimidin-4-yl]acetamide;

N-[2-(2-Furyl)-6-(1*H*-1,2,3-triazol-1-yl)pyrimidin-4-yl]propanamide;

2-(2-Furyl)-6-(1,3-thiazol-2-yl)pyrimidin-4-amine;

N-[2-(2-Furyl)-6-(1,3-thiazol-2-yl)pyrimidin-4-yl]propanamide;

3-(3,4-Dimethoxyphenyl)-N-[2-(2-furyl)-6-(1,3-thiazol-2-yl)pyrimidin-4-yl]propanamide;

2,6-Di-2-furypyrimidin-4-amine;

N-(2,6-Di-2-furypyrimidin-4-yl)-2-(3,4-dimethoxyphenyl)acetamide;

6-(1,3-Benzothiazol-2-yl)-2-(2-furyl)pyrimidin-4-amine;

2-(5-Methyl-2-furyl)-6-(1,3-thiazol-2-yl)pyrimidin-4-amine;

6-(1,3-Thiazol-2-yl)-2-(2-thienyl)pyrimidin-4-amine;

2-(3,4-Dimethoxyphenyl)-N-[6-(2-furyl)-2-(1,3-thiazol-2-yl)pyrimidin-4-yl]acetamide;

6-(1*H*-Pyrazol-1-yl)-2-(1,3-thiazol-2-yl)pyrimidin-4-amine;

2-(3,4-Dimethoxyphenyl)-N-[6-(1*H*-pyrazol-1-yl)-2-(1,3-thiazol-2-yl)pyrimidin-4-yl]acetamide;

2-(2-Furyl)-N-methyl-6-(1,3-thiazol-2-yl)pyrimidin-4-amine;

N-(Cyclopropylmethyl)-2-(2-furyl)-6-(1,3-thiazol-2-yl)pyrimidin-4-amine;

N-[2-(3,4-Dimethoxyphenyl)ethyl]-2-(2-furyl)-6-(1,3-thiazol-2-yl)-pyrimidin-4-amine;

N-(Cyclopropylmethyl)-6-(2-furyl)-2-(1,3-thiazol-2-yl)pyrimidin-4-amine;

N-[2-(3,4-Dimethoxyphenyl)ethyl]-6-(2-furyl)-2-(1,3-thiazol-2-yl)-pyrimidin-4-amine;

6-(2-Furyl)-N-(2-pyridin-3-ylethyl)-2-(1,3-thiazol-2-yl)pyrimidin-4-amine;

6-(2-Furyl)-N-[(1*S**,2*R**)-2-phenylcyclopropyl]-2-(1,3-thiazol-2-yl)-pyrimidin-4-amine

(*relative trans configuration);

Ethyl[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]carbamate;

Cyclopentylmethyl[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-carbamate;

Benzyl[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]carbamate;

3,4-Dimethoxybenzyl[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]carbamate;

Pyridin-3-ylmethyl[2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-carbamate;

4-Methoxyphenyl [2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]-carbamate;

or

3,4-Dimethoxyphenyl [2-(2-furyl)-6-(1*H*-pyrazol-1-yl)pyrimidin-4-yl]carbamate.

15. (Canceled)

16. (Currently amended) A method for treating ischemia, supraventricular arrhythmias, ~~acute renal failure, myocardial reperfusion injury, allergic reactions including but not limited to rhinitis, urticaria, scleroderm arthritis, inflammatory bowel diseases;~~ asthma, ~~diabetes mellitus, obesity,~~ Parkinson disease, Huntington's disease, dystonias, restless leg syndrome or dyskinesias, comprising administering to a subject in need thereof a pharmaceutically effective amount of a compound according to claim 1.

17. (Canceled)

18. (Previously presented) A method according to claim 16 wherein the condition is ischemia, supraventricular arrhythmias, Parkinson disease, Huntington's disease, dystonias, restless leg syndrome or dyskinesias.

19. (Previously presented) A pharmaceutical composition comprising a compound as according to claim 1 and a pharmaceutically acceptable diluent or carrier.

20.-34. (Canceled)